



JVN
BEARINGS


ISO 9001 CERTIFIED

**Bearing Inserts
(Mounted Units)**


Outer Spherical Ball Bearings




OUTER SPHERICAL BALL BEARINGS




SA-0078-G1



CSA7100




SB-02103-G1




CSB7100

轴承型号 Bearing No.	外形尺寸 Boundary dimensions									
	d	D	B	C	L	W	K	r _{min}	G	db
SA211	55mm	100	32.5	24	48.4	76.2	20.6	1.5	8	3/8-24 M10×1.25
SA211-32	2(+)									
SA211-33	2 1/16									
SA211-34	2 1/8									
SA211-35	2 3/16									
SA212	60mm	110	33.4	24	49.2	84.1	22.2	1.5	8	3/8-24 M10×1.25
SA212-36	2 1/4									
SA212-37	2 5/16									
SA212-38	2 3/8									
SA212-39	2 7/16									
SB201	12mm	40	22	12		24.8		0.8	4.5	1/4-28 M6×1
SB201-8	1/2									
SB202	15mm									
SB202-10	5/8									
SB203	17mm									
SB204	20mm									
SB204-12	3/4									
SB205	25mm									
SB205-14	7/8									
SB205-15	15/16									
SB205-16	1									
SB206	30mm	62	30	16		40.8		1	5.5	1/4-28 M6×1
SB206-17	1 1/16									
SB206-18	1 1/8									
SB206-19	1 3/16									
SB206-20	1 1/4(+)									
SB207	35mm									
SB207-20	1 1/4									
SB207-21	1 5/16									
SB207-22	1 3/8									
SB207-23	1 7/16									
SB208	40mm	80	34	18		52.8		1.1	7	5/16-24 M6×1
SB208-24	1 1/2									
SB208-25	1 9/16									


OUTER SPHERICAL BALL BEARINGS




SA-G209-C1



SA-G210-C1



SB-G210-C1




SB-G212-C1

轴承型号 Bearing No.	外形尺寸 Boundary dimensions									
	d	D	B	C	L	W	K	T _{min}	G	ds
SB209	45mm	85	41.2	19		58.6		1.1	8.2	5/16-24 MB+1
SB209-26	1 5/8									
SB209-27	1 11/16									
SB209-28	1 3/4									
SB210	50mm	90	43.5	20		62.2		1.1	9.2	5/16-24 MB+1
SB210-29	1 13/16									
SB210-30	1 7/8									
SB210-31	1 15/16									
SB210-32	2(*)									
SB211	55mm	100	45.3	21		68.9		1.5	9.8	3/8-24 M10+1, 25
SB211-32	2									
SB211-33	2 1/16									
SB211-34	2 1/8									
SB211-35	2 3/16									
SB212	60mm	110	53.7	22		76		1.5	9.8	3/8-24 M10+1, 25
SB212-36	2 1/4									
SB212-37	2 5/16									
SB212-38	2 3/8									
SB212-39	2 7/16									


Outer Spherical Ball Bearings




OUTER SPHERICAL BALL BEARINGS




SA-GDR-G1



SA(F100)




SB-GDR-G1




CSDF100

轴承型号 Bearing No.	外形尺寸 Boundary dimensions									
	d	D	B	C	L	W	K	r _{min}	G	da
SA211	55mm	100	32.5	24	48.4	76.2	20.6	1.5	8	3/8-24 M10×1.25
SA211-32	2(x)									
SA211-33	2 1/16									
SA211-34	2 1/8									
SA211-35	2 3/16									
SA212	60mm	110	33.4	24	49.2	84.1	22.2	1.5	8	3/8-24 M10×1.25
SA212-36	2 1/4									
SA212-37	2 5/16									
SA212-38	2 3/8									
SA212-39	2 7/16									
SB201	12mm	40	22	12	24.8	29.3	0.6	4.5	1/4-28 M5×1	
SB201-8	1/2									
SB202	15mm									
SB202-10	5/8									
SB203	17mm									
SB204	20mm	47	25	14	29.3	40.8	1	4.5	1/4-28 M5×1	
SB204-12	3/4									
SB205	25mm									
SB205-14	7/8									
SB205-15	15/16									
SB205-16	1	52	27	15	33.8	40.8	1	5.5	1/4-28 M5×1	
SB206	30mm									
SB206-17	1 1/16									
SB206-18	1 1/8									
SB206-19	1 3/16									
SB206-20	1 1/4(x)	72	32	17	46.6	52.8	1.1	6.5	1/4-28 M5×1	
SB207	35mm									
SB207-20	1 1/4									
SB207-21	1 5/16									
SB207-22	1 3/8									
SB207-23	1 7/16									
SB208	40mm	80	34	18	52.8	52.8	1.1	7	5/16-24 M5×1	
SB208-24	1 1/2									
SB208-25	1 9/16									


OUTER SPHERICAL BALL BEARINGS




SA-0075-01



CAW100




SB-0075-01




CSB0150

轴承型号 Bearing No.	外形尺寸 Boundary dimensions									
	d	D	B	C	L	W	K	fmin	G	ds
SB209	45mm	85	41.2	19		58.6		1.1	8.2	5/16-24 MB+1
SB209-26	1 5/8									
SB209-27	1 11/16									
SB209-28	1 3/4									
SB210	50mm	90	43.5	20		62.2		1.1	9.2	5/16-24 MB+1
SB210-29	1 13/16									
SB210-30	1 7/8									
SB210-31	1 15/16									
SB210-32	2(*)									
SB211	55mm	100	45.3	21		68.9		1.5	9.8	3/8-24 M10+1,25
SB211-32	2									
SB211-33	2 1/16									
SB211-34	2 1/8									
SB211-35	2 3/16									
SB212	60mm	110	53.7	22		76		1.5	9.8	3/8-24 M10+1,25
SB212-36	2 1/4									
SB212-37	2 5/16									
SB212-38	2 3/8									
SB212-39	2 7/16									


OUTER SPHERICAL BALL BEARINGS




HC



DHC



UC




UUC

轴承代号 Bearing No.	外形尺寸 Boundary dimensions																		
	d	D	B	C	L	W	K	r _{min}	G	da									
HC210	50mm	90	49.2	22	62.7	69.8	18.3	1.1	8.8	5/16-24 MB+1									
HC210-29	1 13/16																		
HC210-30	1 7/8																		
HC210-31	1 15/16																		
HC210-32	2(x)																		
HC211	55mm	100	55.8	24	71.4	78.2	20.8	1.5	8	3/8-24 M10×1.25									
HC211-32	2																		
HC211-33	2 1/16																		
HC211-34	2 1/8																		
HC211-35	2 3/16																		
HC212	60mm	110	61.9	27	77.8	84.1	22.2	1.5	8	3/8-24 M10×1.25									
HC212-36	2 1/4																		
HC212-37	2 5/16																		
HC212-38	2 3/8																		
HC212-39	2 7/16																		
HC213	65mm	120	68.2	28	85.7	88	23.5	1.5	8.5	3/8-24 M10×1.25									
HC213-40	2 1/2																		
HC213-41	2 9/16																		
HC214	70mm										125	68.2	29	85.7	90	23.8	1.5	8.5	7/16-20 M12×1.5
HC214-42	2 5/8																		
HC214-43	2 11/16																		
HC214-44	2 3/4																		
HC215	75mm	130	74.8	30	92.1	101.6	23.8	1.5	8.5	7/16-20 M12×1.5									
HC215-45	2 13/16																		
HC215-46	2 7/8																		
HC215-47	2 15/16																		
HC215-48	3																		
UCS201	12mm	40	26	14		24.8		0.6	4.5	10-32 MB+0.5									
UCS201-8	1/2																		
UCS202	15mm																		
UCS202-10	5/8																		
UCS203	17mm																		
UCS201	12mm	47	31	16		29.3		0.6	4.5	1/4-28 MB+1									
UCS201-8	1/2																		
UCS202	15mm																		
UCS202-10	5/8																		
UCS203	17mm																		

Outer Spherical Ball Bearings




OUTER SPHERICAL BALL BEARINGS



轴承型号 Bearing No.	外形尺寸 Boundary dimensions									
	d	D	B	C	L	W	K	r _{min}	G	da
UC204	20mm	47	31	16		29.3		1	4.5	1/4-28 M5+1
UC204-12	3/4									
UC206	25mm	52	34	17		33.8		1	5	1/4-28 M5+1
UC206-14	7/8									
UC206-15	15/16									
UC206-16	1									
UC206-17	1 1/16									
UC206-18	1 1/8	62	38.1	19		40.8		1	5	1/4-28 M5+1
UC206-19	1 3/16									
UC206-20	1 1/4(x)									
UC207	35mm									
UC207-20	1 1/4	72	42.9	20		46.8		1.1	6	1/4-28 M5+1
UC207-21	1 5/16									
UC207-22	1 3/8									
UC207-23	1 7/16									
UC208	40mm									
UC208-24	1 1/2	80	48.2	21		52.8		1.1	8	5/16-24 M8+1
UC208-25	1 9/16									
UC209	45mm									
UC209-26	1 5/8									
UC209-27	1 11/16	85	48.2	22		58.6		1.1	8	5/16-24 M8+1
UC209-28	1 3/4									
UC210	50mm									
UC210-29	1 13/16									
UC210-30	1 7/8	90	51.8	22		62.2		1.1	9	5/16-24 M8+1
UC210-31	1 15/16									
UC210-32	2(x)									
UC211	55mm									
UC211-32	2	100	55.6	24		68.8		1.5	10	3/8-24 M10+1, 25
UC211-33	2 1/16									
UC211-34	2 1/8									
UC211-35	2 3/16									

OUTER SPHERICAL BALL BEARINGS




轴承型号 Bearing No.	外形尺寸 Boundary dimensions							
	d	D	B	C	W	Fmin	G	de
UCX05	25mm	62	38.1	19	40.8	1	5	1/4-28 M5+1
UCX05-13	13/16							
UCX05-14	7/8							
UCX05-15	15/16							
UCX05-16	1	72	42.8	20	46.8	1	8	5/16-24 M8+1
UCX06	30mm							
UCX06-17	1 1/16							
UCX06-18	1 1/8							
UCX06-19	1 3/16							
UCX06-20	1 1/4(x)	90	49.2	21	52.8	1.1	8	5/16-24 M8+1
UCX07	35mm							
UCX07-20	1 1/4							
UCX07-21	1 5/16							
UCX07-22	1 3/8							
UCX07-23	1 7/16	85	49.2	22	58.8	1.1	8	5/16-24 M8+1
UCX08	40mm							
UCX08-24	1 1/2							
UCX08-25	1 9/16							
UCX09	45mm	90	51.6	23	62.2	1.1	9	3/8-24 M8+1
UCX09-26	1 5/8							
UCX09-27	1 11/16							
UCX09-28	1 3/4							
UCX10	50mm	100	55.6	25	68.8	1.1	10	3/8-24 M10+1, 25
UCX10-29	1 13/16							
UCX10-30	1 7/8							
UCX10-31	1 15/16							
UCX10-32	2(x)							
UCX11	55mm	110	65.1	27	76	1.5	10	3/8-24 M10+1, 25
UCX11-32	2							
UCX11-33	2 1/16							
UCX11-34	2 1/8							
UCX11-35	2 3/16							

Outer Spherical Ball Bearings



OUTER SPHERICAL BALL BEARINGS




轴承型号 Bearing No.	外形尺寸 Boundary dimensions							
	d	D	B	C	W	r _{min}	G	da
UCX12	60mm	120	65.1	28	82.5	1.5	12	3/8-24 M10×1.25
UCX12-36	2 1/4							
UCX12-37	2 5/8							
UCX12-38	2 3/8							
UCX12-39	2 7/16							
UCX13	65mm	125	74.6	29	89	1.5	12	7/16-20 M12×1.5
UCX13-40	2 1/2							
UCX13-41	2 9/16							
UCX14	70mm	130	77.8	30	94	1.5	12	7/16-20 M12×1.5
UCX14-42	2 5/8							
UCX14-43	2 11/16							
UCX14-44	2 3/4							
UCX15	75mm	140	82.6	32	100	1.5	14	7/8-20 M12×1.5
UCX15-45	2 13/16							
UCX15-45	2 7/8							
UCX15-47	2 15/8							
UCX15-48	3							
UCX16	80mm	150	85.7	34	107.1	2	14	7/16-20 M12×1.5
UCX16-50	3 1/8							

Outer Spherical Ball Bearings




OUTER SPHERICAL BALL BEARINGS




轴承型号 Bearing No.	外部尺寸 Boundary dimensions								
	d	D	B	C	W	Fmin	Y	G	ds
SER211	55mm	100	55.8	30	68.8	1.5	106.4	9	3/8-24 M10×1.25
SER211-32	2								
SER211-33	2 1/16								
SER211-34	2 1/8								
SER211-35	2 3/16								
SER212	60mm	110	65.1	31.8	76	1.5	116.7	10	3/8-24 M10×1.25
SER212-36	2 1/4								
SER212-37	2 5/16								
SER212-38	2 3/8								
SER212-39	2 7/16								
SER213	65mm	120	65.1	35	82.5	1.5	127.2	12	3/8-24 M10×1.25
SER213-40	2 1/2								
SER213-41	2 9/16								
SER214	70mm	125	69.9	35	89	1.5	132.5	12	7/16-20 M12×1.5
SER214-42	2 5/8								
SER214-43	2 11/16								
SER214-44	2 3/4								
SER215	75mm	130	77.8	38	94	1.5	139.7	12	7/16-20 M12×1.5
SER215-45	2 13/16								
SER215-46	2 7/8								
SER215-47	2 15/16								
SER215-48	3								


OUTER SPHERICAL BALL BEARINGS




UC



CUC



UC



CUC

轴承型号 Bearing No.	外形尺寸 Boundary dimensions									
	d	D	B	C	L	W	K	r _{min}	GB, B	da
UC212	60mm	110	65.1	27		76		1.5	10	3/8-24 M10×1.25
UC212-36	2 1/4									
UC212-37	2 5/16									
UC212-38	2 3/8									
UC212-39	2 7/16									
UC213	65mm	120	65.1	28		82.5		1.5	12	3/8-24 M10×1.25
UC213-40	2 1/2									
UC213-41	2 9/16									
UC214	70mm	125	74.6	29		89		1.5	12	7/16-20 M12×1.5
UC214-42	2 5/8									
UC214-43	2 11/16									
UC214-44	2 3/4									
UC215	75mm	130	77.8	30		94		1.5	12	7/16-20 M12×1.5
UC215-45	2 13/16									
UC215-46	2 7/8									
UC215-47	2 15/16									
UC215-48	3									
UC216	80mm	140	82.6	32		100		2	14	7/16-20 M12×1.5
UC216-50	3 1/8									
UC217	85mm	150	85.7	34		107.1		2	14	7/16-20 M12×1.5
UC217-52	3 1/4									
UC217-55	3 7/16									



Bearing Inserts (Mounted Units)



ISO 9001 CERTIFIED